



Stanley Black & Decker Outdoor GmbH  
Wiesenstraße 9  
D-66129 Saarbrücken

Germany  
Phone +49 (0)681 96 98 90 68  
mtd.de@mtdproducts.com

Austria  
Phone +43 (0)720 81 60 87  
mtd.at@mtdproducts.com

Switzerland  
Phone +41 (0)43 58 81 35 8  
mtd.ch@mtdproducts.com

[www.mtd-en.com](http://www.mtd-en.com)

Text and photographs, specifications of dimensions and performance are composed with greatest care. The correctness of the information cannot be guaranteed, especially it is not guaranteed that the products comply with the images regarding technique, colour, form and equipment or that the products comply with the proportion of the images. Amendments due to misprints or errors are reserved.

This MTD catalogue is valid from October 2023  
© 2023 Stanley Black & Decker Outdoor GmbH, Germany



# CONTENT

<b>LAWN MOWER</b>			
SMART ELECTRIC LAWN MOWERS	3		
OPTIMA ELECTRIC LAWN MOWERS	3		
MODEL- AND ENGINE OVERVIEW OF PETROL LAWN MOWERS	4		
SMART PETROL LAWN MOWER SPECIALS	5		
SMART PETROL LAWN MOWERS	6		
WHEELED STRING TRIMMER	8		
SICKLE BAR MOWER	9		
<b>SCARIFIER</b>			
SMART & OPTIMA ELECTRIC AND PETROL SCARIFIER	10		
<b>EMISSION VALUES</b>	11		
		<b>SNOW THROWERS</b>	
		SMART SNOW THROWERS	12
		OPTIMA SNOW THROWERS	13
		<b>ACCESSORIES</b>	
		MTD ACCESSORIES	14
		ARNOLD ACCESSORIES AND SPARE PARTS	15

All products available while stocks last.



# SMART & OPTIMA LAWN MOWERS

## IDEAL FOR SMALL TO MEDIUM-SIZED LAWN AREAS

The light weight SMART electric lawn mowers are easy to handle and enable easy mowing even in areas that are difficult to reach such as tight corners.

MTD OPTIMA electric lawn mowers convince with their reliable technology – and, in addition to an eye-catching design, offer a diverse range of features. They are easy to start, easy to use, easy to manoeuvre. The mowing decks help provide an excellent cut and a great collecting performance.



COMFORTABLE ELECTRIC START



CENTRAL CUTTING HEIGHT ADJUSTMENT FOR EASY ADJUSTMENT OF THE CUTTING HEIGHT (OPTIMA 38 E AND OPTIMA 42 E)

	SMART 32 E	SMART 38 E	OPTIMA 38 E	OPTIMA 42 E
<b>Engine displacement</b>	230 V / 1.000 W	230 V / 1.400 W	230 V / 1.600 W	230 V / 1.800 W
<b>Engine start</b>	Electro start	Electro start	Electro start	Electro start
<b>Area performance (rec.)</b>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>
<b>Cutting deck (material)</b>	Polypropylene	Polypropylene	Polypropylene	Polypropylene
<b>Cutting width</b>	32 cm	38 cm	38 cm	42 cm
<b>Cutting height adjustment</b>	3 Positionen, manual	3 Positionen, manual	5 positions, central	11 positions, central
<b>Cutting height (min.–max.)</b>	25–65 mm	20–60 mm	25–65 mm	25–85 mm
<b>Mulch Kit</b>	–	–	Included	Included
<b>Cutting system</b>	Rear discharge	Rear discharge	Rear discharge	Rear discharge
<b>Grass catcher type</b>	Hard box	Hard box	Hard bag with bag full indicator	Hard bag with bag full indicator
<b>Collecting volume</b>	27 l	40 l	36 l	47 l
<b>Wheels (F/R)</b>	140 mm / 140 mm, slide bushings	140 mm / 160 mm, slide bushings	140 mm / 180 mm, slide bushings	160 mm / 210 mm, slide bushings
<b>Weight</b>	6 kg	14 kg	12,8 kg	15,4 kg
<b>Replacement blades</b>	1111-M6-0167	1111-M6-0168	1111-M6-0168	092.64.444
<b>Modelnumber</b>	18AKCAD-600	18AKIAS-600	18AKJH-600	18AKP JL-600
<b>EAN</b>				


Attachments, accessories and spare parts on pages 14–15.



## THE MTD SMART LAWN MOWER SERIES


### FIND THE RIGHT ONE FOR YOU

From the wide range of models with a total of 9 petrol-powered mowers, you will find exactly what you are looking for – regardless if you are a gardening beginner, experienced hobby gardener or passionate gardening enthusiast. The MTD SMART models are just as suitable for maintaining English lawns as they are for high growing meadows. Select the appropriate cutting width depending on the lawn size and decide for yourself whether you want to collect the cuttings or mulch them for natural fertilisation. And of course you have a choice of engines from the MTD and Briggs & Stratton® brands in various power levels.



#### MTD THORX OHV ENGINES

Numerous SMART models are equipped with the MTD ThorX engine. OHV means, the valves and the spark plug are directly arranged on top of the piston in the centre of the combustion chamber. This helps provide optimal and effective combustion of the fuel air mixture to help minimize exhaust emissions while in use.



#### BRIGGS & STRATTON® OHV ENGINES

With their latest technology, the Briggs & Stratton® engines used on our lawn mowers, convince with their power and torque, and are designed to minimize emissions while in use. These engines are a perfect choice with lawn mowers for small and medium-size lawns.



## SMART PETROL LAWN MOWER SPECIALS

### WHAT YOU NEED FROM A LAWN MOWER

These mowers are first choice when looking for an excellent cost-performance ratio. Our SMART Models come with a polypropylene deck and impress with pure simplicity. Model SMART 51 BO is a solid cutting machine. No bagging, no mulching, but what you need to simply mow your lawn.



SLIDE BUSHING WHEELS



STEEL FRAME

	SMART 51 BO	SMART 51 BC
Engine type	MTD ThorX 35	B&S 450 E-Serie
Engine displacement	132 cm <sup>3</sup>	125 cm <sup>3</sup>
Rated power	1,6 kW / 2.850 min <sup>-1</sup>	1,7 kW / 2.800 min <sup>-1</sup>
Engine start	Pull starter	Pull starter
Drive	Pushed	Pushed
Area performance (rec.)	1.000 m <sup>2</sup>	1.000 m <sup>2</sup>
Cutting deck (material)	Steel	Steel
Cutting width	51 cm	51 cm
Cutting height adjustment	3 positions, individual	3 positions, individual
Cutting height (min.–max.)	35–55 mm	35–85 mm
Mulch Kit	–	–
Cutting system	Side discharge	Side discharge
Grass catcher type	–	–
Collecting volume	–	–
Wheels (F/R)	180 mm / 180 mm, slide bushings	180 mm / 180 mm, slide bushings
Weight	18 kg	19 kg
Replacement blades	1111-M6-0041	1111-M6-0041
Modelnumber	11B-02MK600	11F-025J600

EAN



4 008423 892345



4 008423 863123


# SMART PETROL LAWN MOWERS

IDEAL FOR LAWN AREAS FROM 1,000 TO 1,500 m<sup>2</sup>

Easy-to-handle, reliable and robust – this best describes the mowers of the MTD SMART range. Choose between solid and strong MTD ThorX OHV EVO1 or powerful Briggs & Stratton® engines, both designed for reliable work with minimal effort.



ERGONOMICALLY  
DESIGNED HANDLE  
FOR CONTROL



INDIVIDUAL CUTTING  
HEIGHT ADJUSTMENT



STRONG NEW  
GENERATION MTD THORX  
159 CM<sup>3</sup> ENGINE



4-IN-1 OPTION ON  
SMART 46 SPBS +  
53 SPBS:  
SIDE DISCHARGE,  
REAR DISCHARGE,  
COLLECTING, MULCHING

	SMART 46 PO	SMART 46 SPO	SMART 46 SPBS
<b>Engine type</b>	MTD ThorX 35	MTD ThorX 35	B&S 450 E-Series
<b>Engine displacement</b>	79 cm <sup>3</sup>	79 cm <sup>3</sup>	125 cm <sup>3</sup>
<b>Rated power</b>	1,5 kW / 2.800 min <sup>-1</sup>	2,2 kW / 2.800 min <sup>-1</sup>	1,8 kW / 2.800 min <sup>-1</sup>
<b>Engine start</b>	Pull starter	Pull starter	Pull starter
<b>Drive</b>	Pushed	Rear drive	Rear drive
<b>Area performance (rec.)</b>	1.000 m <sup>2</sup>	1.000 m <sup>2</sup>	1.000 m <sup>2</sup>
<b>Cutting deck (material)</b>	Steel	Steel	Steel
<b>Cutting width</b>	46 cm	46 cm	46 cm
<b>Cutting height adjustment</b>	central, 7 positions	central, 7 positions	central, 7 positions
<b>Cutting height (min.–max.)</b>	25–75 mm	25–75 mm	25–75 mm
<b>Mulch Kit</b>	Included	Included	Included
<b>Cutting system</b>	Rear discharge 3-in-1	Rear discharge 3-in-1	Side and rear discharge 4-in-1
<b>Grass catcher type</b>	Soft Bag / Hard Top	Soft Bag / Hard Top	Soft Bag / Hard Top
<b>Collecting volume</b>	60 l	60 l	60 l
<b>Wheels (F/R)</b>	180 mm / 260 mm, ball bearings	180 mm / 260 mm, ball bearings	180 mm / 260 mm, ball bearings
<b>Weight</b>	26,0 kg	27,5 kg	29,0 kg
<b>Replacement blades</b>	092.70.104	092.70.104	092.70.104
<b>Modelnumber</b>	11A-H3MG600	12A-H3MK600	12A-H45B600

EAN



	SMART 53 SPO	SMART 53 SPBS
<b>Engine type</b>	MTD ThorX 55	B&S 750 EX-Series DOV
<b>Engine displacement</b>	159 cm <sup>3</sup>	161 cm <sup>3</sup>
<b>Rated power</b>	2,5 kW / 2.800 min <sup>-1</sup>	2,8 kW / 2.800 min <sup>-1</sup>
<b>Engine start</b>	Pull starter	Pull starter
<b>Drive</b>	Rear drive	Rear drive
<b>Area performance (rec.)</b>	1.500 m <sup>2</sup>	1.500 m <sup>2</sup>
<b>Cutting deck (material)</b>	Steel	Steel
<b>Cutting width</b>	53 cm	53 cm
<b>Cutting height adjustment</b>	central, 7 positions	central, 7 positions
<b>Cutting height (min.–max.)</b>	25–75 mm	25–75 mm
<b>Mulch Kit</b>	Included	Included
<b>Cutting system</b>	Side and rear discharge 4-in-1	Side and rear discharge 4-in-1
<b>Grass catcher type</b>	Soft Bag / Hard Top	Soft Bag / Hard Top
<b>Collecting volume</b>	70 l	70 l
<b>Wheels (F/R)</b>	200 mm / 280 mm, ball bearings	200 mm / 280 mm, ball bearings
<b>Weight</b>	32,9 kg	34,0 kg
<b>Replacement blades</b>	092.70.103	092.70.103
<b>Modelnumber</b>	12A-H2KC600	12A-H26K600

EAN







# WHEELED STRING TRIMMER

YOUR CLEVER LAWN & GARDEN ASSISTANT

This combination of trimmer and mower is ideal for meadows, weed infested areas and lawns with many obstacles and edges.


	Replacement cutting line AF3.20, 10 pcs., cut 3,9 mm x 47 cm length (sold separately)
<b>Modelnumber</b>	1182-WS-0001
<b>EAN</b>	



STRONG 3,9 MM DUAL LINE – WITH BALL-SHAPED SKID



LARGE 36 CM REAR WHEELS FOR EASY TRANSPORT

WST 5522	
<b>Engine type</b>	MTD ThorX 55, 1 cylinder
<b>Engine displacement</b>	159 cm <sup>3</sup>
<b>Rated power</b>	2,1 kW / 2.800 min <sup>-1</sup>
<b>Engine start</b>	Pull starter
<b>Tank volume</b>	1,0 l
<b>Discharge/Speeds</b>	Pushed
<b>Area performance (rec.)</b>	–
<b>Cutting deck (material)</b>	Steel
<b>Cutting width</b>	56 cm
<b>Cutting height</b>	–
<b>Line</b>	Ø 3,9 mm, dual line, 1182-WS-0001
<b>Wheels</b>	36 cm, ball bearings
<b>Weight</b>	31 kg
<b>Modelnumber</b>	25C-262E678
<b>EAN</b>	

You can find the link to the current price list on reverse.

# SICKLE BAR MOWER


IDEAL FOR WEEDS AND MEADOWS

With a working width of 87 cm and a powerful Briggs & Stratton® engine, the MTD field mower is the right mower for long grass, meadows and paddocks. With its winter equipment you can turn this high grass mower into a valuable year-round helper (winter equipment sold separately, see page 22).



SICKLE BAR WITH FOUR GUIDES



SMART BM 87-35	
<b>Engine type</b>	B&S OHV 450 E-Series
<b>Engine displacement</b>	125 cm <sup>3</sup>
<b>Rated power</b>	1,7 kW / 3.200 min <sup>-1</sup>
<b>Engine start</b>	Pull starter
<b>Tank volume</b>	0,8 l
<b>Discharge/Speeds</b>	Rear drive / 1 forward
<b>Area performance (rec.)</b>	2.000 m <sup>2</sup>
<b>Cutting deck (material)</b>	Steel
<b>Cutting width</b>	87 cm
<b>Cutting height</b>	10–30 mm, skid plates
<b>Blade</b>	Cutter bar with 4 guides
<b>Wheels</b>	13" x 5,00" x 6", ball bearings
<b>Weight</b>	53 kg
<b>Modelnumber</b>	25C-FM5B678
<b>EAN</b>	

Attachments, accessories and spare parts on pages 14–15. Briggs & Stratton® is a registered trademark of Briggs & Stratton, LLC.

# SCARIFIER

## LET YOUR LAWN BREATHE

The powerful scarifier range combines lightweight with efficiency. They are the ideal solution for small and medium sized lawns. All come with a catcher bag included and are designed for intuitive handling and use.



WITH SCARIFIER AND AERATOR SHAFT INCLUDED, TOOL-FREE EXCHANGE OF SHAFTS (OPTIMA 35 VO, OPTIMA 38 VO, SMART 30 VE AND OPTIMA 37 VE)



	OPTIMA 35 VO	OPTIMA 38 VO	SMART 30 VE	OPTIMA 37 VE
<b>Engine type</b>	MTD ThorX 35	MTD ThorX 65 OHV	-	-
<b>Engine displacement</b>	137 cm <sup>3</sup>	208 cm <sup>3</sup>	-	-
<b>Rated power</b>	2,4 kW / 3.600 min <sup>-1</sup>	4,0 kW / 3.600 min <sup>-1</sup>	230 V / 1.200 W	230 V / 1.600 W
<b>Engine start</b>	Pull starter	Pull starter	-	-
<b>Area performance (rec.)</b>	1.000 m <sup>2</sup>	1.500 m <sup>2</sup>	200 m <sup>2</sup>	800 m <sup>2</sup>
<b>Cutting deck (material)</b>	Steel	Steel	Polypropylene	Polypropylene
<b>Cutting width</b>	35 cm	38 cm	30 cm	37 cm
<b>Cutting height adjustment</b>	6 positions, central	6 positions, central	5 positions, central	5 positions, central
<b>Cutting height (min.-max.)</b>	0 up to -15 mm	0 up to -15 mm	0 - 12 mm	0 - 12 mm
<b>Blade</b>	15 blades, Ø 190 mm + aerator shaft	16 blades, Ø 190 mm + aerator shaft	10 double blades, Ø 145 mm + aerator shaft	14 double blades, Ø 145 mm + aerator shaft
<b>Handlebar</b>	Ergo, 2 position height adjustable, foldable	Ergo, 2 position height adjustable, foldable	Straight, foldable	Straight, foldable
<b>Grass catcher type</b>	Fabric catcher bag	Fabric catcher bag	Fabric catcher bag	Fabric catcher bag
<b>Collecting volume</b>	45 l	50 l	35 l	45 l
<b>Wheels (F/R)</b>	200 mm / 200 mm, ball bearings	200 mm / 200 mm, ball bearings	200 mm / 110 mm, slide bushings	200 mm / 200 mm, slide bushings
<b>Weight</b>	37 kg	39 kg	11 kg	14 kg
<b>Modelnumber</b>	16AHGLMS600	16AHLME600	16AFDNKA600	16BFFMOA600

<b>EAN</b>				
------------	--	--	--	--

# EMISSIONS VALUES

## SOUND

Definition: mechanical vibration or compressional wave of an elastic medium. The unit of measurement is decibel (dB). The human pain threshold is approx. 130 db. The hearing distance of a human ear is in the a frequency range between 16 and 16.000 Hz (below: infrasound, above: ultrasound).

## ACOUSTIC PRESSURE

Acoustic pressure is the periodic change in air pressure caused by the sound wave.

## HAND-ARM-VIBRATION

Transferred to the body from a handheld or walk behind machine through the hand and/or arm (e.g. Trimmer, Lawn mower, Tiller, etc.).

	Sound pressure level measured LpA (dB)	Sound power level LwA (dB)	Sound power level guaranteed LwAg (dB)	Vibration value AHV hand-arm (m/s <sup>2</sup> )	Uncertainty hand-arm (m/s <sup>2</sup> ) K-Factor
<b>LAWN MOWER</b>					
SMART 32 E	89	93,8	96	4,0	2,0
SMART 38 E	84	91,9	96	< 2,5	1,5
OPTIMA 38 E	82	92	96	< 2,5	1,5
OPTIMA 42 E	85	95	96	2,9	1,5
SMART 51 B0	81,3	96,1	98	4,9	1,5
SMART 51 BC	81,6	96,9	98	4,6	1,5
SMART 46 P0	80,9	94	96	4,72	1,5
SMART 46 SPO	81	94,1	96	4,78	1,5
SMART 46 SPBS	80,6	93,6	96	4,35	1,5
SMART 53 SPO	81,6	96,4	98	4,53	1,5
SMART 53 SPBS	81,3	94,5	98	4,45	1,5
WST 5522	88,9	104,1	107	7,0	2,8
SMART BM 87-35	88	97,1	98	15,4	0,85
<b>SCARIFIER</b>					
OPTIMA 35 VO	85	97	100	9,8	1,0
OPTIMA 38 VO	85	98	99	6,8	1,0
SMART 30 VE	86	97	99	2,5	1,5
OPTIMA 37 VE	86	97	99	2,5	1,5
<b>SNOW TROWERS</b>					
SMART M 61	85,5	97,6	100	5,7	2,35
SMART ME 61	85,5	97,6	100	5,7	2,35
OPTIMA ME 66	86	98,2	100	5,2	2,4
OPTIMA ME 66 T	86	98,2	100	5,2	2,4
OPTIMA ME 76	90,2	101,5	105	4,3	2,15




## SMART SERIES SNOW THROWERS FOR SMALL TO MEDIUM SIZED AREAS


Intuitive and reliable – these are incorporated values of the SMART snow throwers. They are ideal for regions with little to medium snow fall. Built with passion and quality.



LIGHTS ON MODELS  
SMART ME 61, OPTIMA  
ME 66, OPTIMA ME 66 T  
& OPTIMA ME 76



"XTREME-AUGER"  
SYSTEM



EASY CHUTE  
ADJUSTMENT



180° ROTATABLE CHUTE

	SMART M 61	SMART ME 61
<b>Engine type</b>	MTD SnowThorX 70 OHV, 4-Stroke	MTD SnowThorX 70 OHV, 4-Stroke
<b>Engine displacement</b>	208 cm <sup>3</sup>	208 cm <sup>3</sup>
<b>Rated power</b>	4,0 kW / 3.600 min <sup>-1</sup>	4,0 kW / 3.600 min <sup>-1</sup>
<b>Engine start</b>	Pull starter, with mitten grip	Pull starter, e-start 230 V
<b>Tank volume</b>	2,0 l	2,0 l
<b>Speeds</b>	5 forward – 2 reverse	6 forward – 2 reverse
<b>Wheels</b>	13" x 4"	15" x 5"
<b>Clearing technology</b>	two-stage	two-stage
<b>Steering system</b>	–	–
<b>Clearing width</b>	61 cm	61 cm
<b>Intake height</b>	53 cm	53 cm
<b>Auger system</b>	Xtreme-Auger	Xtreme-Auger
<b>Rotation angle</b>	180°	180°
<b>Chute rotation</b>	With crank	With crank
<b>Height adjustment chute</b>	2-way-lever	2-way-lever
<b>Headlight</b>	no	yes
<b>Weight</b>	77 kg	79 kg
<b>Model number</b>	31A-6BE2678	31CW6BF2678

EAN



You can find the link to the current price list on reverse.

## OPTIMA SERIES SNOW THROWERS FOR MEDIUM TO LARGE SIZED AREAS

The OPTIMA series impresses with performance, quality and comfort. The 2-way-lever, chute control and the EASY-TURN steering are just two of the numerous premium features which make it fun to operate these snow throwers.



RELIABLE MTD  
SNOW THORX  
WINTER ENGINE  
WITH OPTIMAL  
STARTING  
PERFORMANCE IN  
COLD CONDITIONS



TRACK DRIVE  
SYSTEM ON  
OPTIMA ME 66 T



SKID SHOES FOR IDEAL  
WORKING HEIGHT  
ADJUSTMENT

	OPTIMA ME 66	OPTIMA ME 66 T	OPTIMA ME 76
<b>Engine type</b>	MTD SnowThorX 80 OHV, 4-Stroke	MTD SnowThorX 80 OHV, 4-Stroke	MTD SnowThorX 90 OHV, 4-Stroke
<b>Engine displacement</b>	272 cm <sup>3</sup>	272 cm <sup>3</sup>	420 cm <sup>3</sup>
<b>Rated power</b>	5,8 kW / 3.600 min <sup>-1</sup>	5,8 kW / 3.600 min <sup>-1</sup>	7,8 kW / 3.600 min <sup>-1</sup>
<b>Engine start</b>	Pull starter, with mitten grip, e-start 230 V	Pull starter, with mitten grip, e-start 230 V	Pull starter, with mitten grip, e-start 230 V
<b>Tank volume</b>	3,0 l	3,0 l	4,8 l
<b>Speeds</b>	6 forward – 2 reverse	6 forward – 2 reverse	6 forward – 2 reverse
<b>Wheels</b>	16" x 4,8"	track drive system	16" x 6,5"
<b>Clearing technology</b>	two-stage	two-stage	two-stage
<b>Steering system</b>	EASY-TURN	EASY-TURN	EASY-TURN
<b>Clearing width</b>	66 cm	66 cm	76 cm
<b>Intake height</b>	53 cm	53 cm	53 cm
<b>Auger system</b>	Xtreme-Auger	Xtreme-Auger	Xtreme-Auger
<b>Rotation angle</b>	200°	200°	200°
<b>Chute rotation</b>	With crank	With crank	With crank
<b>Height adjustment chute</b>	2-way-lever	2-way-lever	2-way-lever
<b>Headlight</b>	yes	yes	yes
<b>Weight</b>	100 kg	110 kg	111 kg
<b>Model number</b>	31AY5FS3678	31AY7FS3678	31AY5ES5678

EAN



Attachments, accessories and spare parts on pages 14–15.



## MTD ACCESSORIES (EACH SOLD SEPARATELY)



### Accessories for scarifier

MBS3001 scarifier shaft KPL for 30 cm MTD scarifier	196-279-600
MAS3001 aerator shaft KPL for 30 cm MTD scarifier	196-284-600
MBS3401 scarifier shaft KPL for 34 cm MTD scarifier	196-280-600
MAS3701 aerator shaft KPL for 34/37 cm MTD scarifier	196-285-600
MBS3701 scarifier shaft KPL for 37 cm MTD scarifier	196-281-600
MBS3503 scarifier shaft KPL for 35 cm MTD scarifier	196-282-600
MAS3803 aerator shaft KPL for 35/38 cm MTD scarifier	196-286-600
MBS3803 scarifier shaft KPL for 38 cm MTD scarifier	196-283-600

### Accessories for lawn mowers

Mulching kit for SMART 46 PO, 46 SPO	196-588-678
--------------------------------------	-------------

### Accessories for snow throwers

Dozer blade 100 cm, for MTD two stage snow throwers (except M 56)	396-004-678
Rubber lip for dozer blade 100 cm (art.no. 396-004-678)	396-005-678
Set of 4 shear bolts and hair pins for all MTD 2-stage snow throwers	7011-M6-0010

### Accessories for SMART FIELD MOWER

Dozer blade incl. tire chains for BM 87-35	196A755-678
--	-------------



Images similar

## ARNOLD ACCESSORIES AND SPARE PARTS (EACH SOLD SEPARATELY)



When it comes to replacement and spare parts or accessories for lawn and garden equipment, one name is synonymous for superb quality: **ARNOLD**. The full range of ARNOLD products contains what you need to get the job done quickly. For more information ask your local dealer or check out the small list of products below. The full program is available online at [www.arnoldproducts.eu](http://www.arnoldproducts.eu).



### Protection cover

For MTD lawn mowers	L 193 x W 61 x H 117 cm	2024-U1-0002
For MTD lawn tractors	L 173 x W 102 x H 97 cm	2024-U1-0003
For MTD lawn tractors XL	L 250 x W 120 x H 120 cm	2024-U1-0004
For MTD snow throwers	L 170 x W 80 x H 100 cm	2024-U1-0005

### Engine oil & fuel stabilizer

Engine oil, 0,6 l SAE30HD*	6012-X1-0030
Engine oil, 1,0 l SAE30HD*	6012-X1-0031
Engine oil, 0,6 l SAE 10W-30*	6012-X1-0033
Engine oil, 1,0 l SAE 10W-30*	6012-X1-0034
2-cycle oil, 100 ml for chain saw, trimmer	6012-X1-0036
2-cycle oil, 250 ml for chain saw, trimmer	6012-X1-0037
Winter oil, 1,0 l SAE 5W-30 for snow thrower	6012-X1-0040
Fuel stabilizer "EASY RUN", 250 ml*	6012-X1-0045



### Hydraulic oil & maintenance spray

Hydraulic oil, 1,0 l for log splitter	6012-X1-0047
Maintenance spray for garden tools	6021-U1-0075

### Others accessories

Maintenance kit incl. box, anti-adhesive spray 200 ml, microfiber cloth, cleaning brush, cleaner 500 ml, pair of gloves	2025-X1-0005
Metal fuel can, 5 l, black	6011-X1-2000
Metal fuel can, 10 l, black	6011-X1-2001
Metal fuel can, 20 l, black	6011-X1-2002
Spout for metal fuel cans	6011-X1-2003
Smart spout for metal fuel cans	6011-X1-2006
Grass non-stick spray, 200 ml, reduces mowing debris in the mower deck	6021-U1-0077
Hearing protection, comfortable to wear, 3-fold adjustment on each side. SNR 25 dB	6161-X1-0025
ARNOLD Cleaning brush AZ101 with scraper	2024-U1-0008
Cleaning Scraper	2024-U1-0007
Cleaning agent, 500 ml	6021-U1-0078

