



SMART AND OPTIMA SERIES SNOW THROWERS

All our 2-stage snow throwers are developed and manufactured to withstand harsh winter conditions. Thanks to the excellent cold-start properties, you can rely on our engines. All control elements are designed to be operated with thick winter gloves.



HEADLIGHTS ON ALL MODELS
(EXCEPT SMART M 61)

CLUTCH LOCK
ENABLES THE USER TO TAKE THE LEFT HAND OFF THE HANDLE WHILE THE CLUTCH STAYS ENGAGED.

MTD OPTIMA "EASY-TURN" STEERING
EASY HANDLING WITH MINIMAL EFFORT.

ROTATABLE CHUTE



MTD SnowThorX WINTER ENGINES
CONVINCES WITH GOOD COLD STARTING PERFORMANCE EVEN AFTER SHARP FROST NIGHTS.



TRACK DRIVE SYSTEM
(ONLY MODEL OPTIMA ME 66 T)

HIGH PERFORMANCE "XTREME-AUGER"

SKID SHOES
FOR ADJUSTMENT OF WORKING HEIGHT, HELP PREVENT DAMAGE TO EITHER THE SURFACE OR THE MACHINE.



Image similar

SMART SERIES SNOW THROWERS

FOR SMALL AND MEDIUM SIZED AREAS

Economical, intuitive, durable and reliable - these all are incorporated values of the SMART snow thrower range. They are ideal for regions with little to medium snow fall. Built with passion and quality, these entry level models offer an excellent value for money.

STRONG FEATURES



- High performance Xtreme-Auger
- 180° rotatable chute
- 2-stage models with multiple forward and reverse ground speeds



Reliable MTD SnowThorX Winter engines with excellent cold start function



	SMART M 61	SMART ME 61
Engine type	MTD SnowThorX 70 OHV, 4-Stroke	MTD SnowThorX 70 OHV, 4-Stroke
Engine displacement	208 cm ³	208 cm ³
Rated power	4,0 kW / 3.600 min ⁻¹	4,0 kW / 3.600 min ⁻¹
Engine start	Pull starter, with mitten grip	Pull starter, e-start 230 V
Tank volume	2,0 l	2,0 l
Speeds	5 forward – 2 reverse	6 forward – 2 reverse
Wheels	13" x 4"	15" x 5"
Clearing technology	two-stage	two-stage
Steering system	–	–
Clearing width	61 cm	61 cm
Intake height	53 cm	53 cm
Auger system	Xtreme-Auger	Xtreme-Auger
Rotation angle	180°	180°
Chute rotation	With crank	With crank
Height adjustment chute	2-way-lever	2-way-lever
Headlight	no	yes
Weight	77 kg	79 kg
Noise level LpA/LwA/LwAg	85,5 / 97,6 / 100 dB (A)	85,5 / 97,6 / 100 dB (A)
Vibration value hand/arm / K-Faktor	5,7 / 2,35 m/s ²	5,7 / 2,35 m/s ²
Model number	31A-6BE2678	31CW6BF2678

EAN



OPTIMA SERIES SNOW THROWERS

FOR MEDIUM AND LARGE SIZED AREAS

The OPTIMA series impresses with performance, quality and comfort. The machines convince with many premium features which make it fun to operate these snow throwers.

STRONG FEATURES



- High performance Xtreme-Auger
- 200° rotatable chute
- 2-stage models with multiple forward and reverse ground speeds
- Easy-Turn steering system
- Clutch lock system
- Balance system on model OPTIMA ME 66 T



Reliable MTD SnowThorX Winter engines with excellent cold start function



Image similar



	OPTIMA ME 66	OPTIMA ME 66 T	OPTIMA ME 76
Engine type	MTD SnowThorX 80 OHV, 4-Stroke	MTD SnowThorX 80 OHV, 4-Stroke	MTD SnowThorX 90 OHV, 4-Stroke
Engine displacement	272 cm ³	272 cm ³	420 cm ³
Rated power	5,8 kW / 3.600 min ⁻¹	5,8 kW / 3.600 min ⁻¹	7,8 kW / 3.600 min ⁻¹
Engine start	Pull starter, with mitten grip, e-start 230 V	Pull starter, with mitten grip, e-start 230 V	Pull starter, with mitten grip, e-start 230 V
Tank volume	3,0 l	3,0 l	4,8 l
Speeds	6 forward – 2 reverse	6 forward – 2 reverse	6 forward – 2 reverse
Wheels	16" x 4,8"	track drive system	16" x 6,5"
Clearing technology	two-stage	two-stage	two-stage
Steering system	Easy-Turn	Easy-Turn	Easy-Turn
Clearing width	66 cm	66 cm	76 cm
Intake height	53 cm	53 cm	53 cm
Auger system	Xtreme-Auger	Xtreme-Auger	Xtreme-Auger
Rotation angle	200°	200°	200°
Chute rotation	With crank	With crank	With crank
Height adjustment chute	2-way-lever	2-way-lever	2-way-lever
Headlight	yes	yes	yes
Weight	100 kg	110 kg	111 kg
Noise level LpA/LwA/LwAg	86 / 98,2 / 100 dB (A)	86 / 98,2 / 100 dB (A)	90,2 / 101,5 / 105 dB (A)
Vibration value hand/arm / K-Faktor	5,2 / 2,4 m/s ²	5,2 / 2,4 m/s ²	4,3 / 2,15 m/s ²
Model number	31AY5FS3678	31AY7FS3678	31AY5ES5678

EAN



4 008423 857160



4 008423 857184



4 008423 857177



Image similar

SNOW THROWER ACCESSORIES (EACH SOLD SEPARATELY)

USEFUL ATTACHMENTS AND PARTS

Make the most of your snow thrower with a dozer blade for loads of wet snow or help protect your investment from dust, rain and snow with a solid vinyl cover.

Dozer blade 100 cm



Dozer blade for MTD 2-stage snow throwers.

396-004-678



Weight: incl. Packaging 20 kg

Rubber lip



Rubber lip for dozer blade 100 cm.

396-005-678



Weight: incl. Packaging 2,0 kg

Plastic skid shoes



Helps protect driveway and pavement from scratches and abrasion. Made of HDPE plastic.

7012-M6-0009



Weight: incl. Packaging 0,71 kg

Impact protection shear bolts

(for all MTD snow throwers)



Set of 4 shear bolts and hair pins for all MTD 2-stage snow throwers.

7011-M6-0010



Weight: incl. Packaging 0,07 kg

Cover

(for all MTD snow throwers)



Solid polyester cover, water repellent. Dimensions (LxWxH): 170 x 80 x 100 cm.

2024-U1-0005



Weight: incl. Packaging 1,3 kg

Universal care spray 250ml



Cleans, lubricates and preserves. For blades, metal parts and joints of a variety of tools.

6021-U1-0075



Weight: incl. Packaging 0,28 kg

Engine oil for winter application



Special winter engine oil for most snow throwers with petrol engines, 1 litre.

6012-X1-0040



Weight: incl. Packaging 0,95 kg

Fuel stabilizer "Easy-Run"



Fuel conservation with oxidation protection, 250 ml bottle with metering unit.

6012-X1-0045



Weight: incl. Packaging 0,25 kg

Fuel quick tester



3 pieces/package. 2-in-1 fuel quick tester.

6011-KT-0003



Weight: incl. Packaging 0,02 kg



Stanley Black & Decker Outdoor GmbH
Wiesenstraße 9
D-66129 Saarbrücken

Germany
Phone +49 (0)681 96 98 90 68
mtd.de@mtdproducts.com

Austria
Phone +43 (0)720 81 60 87
mtd.at@mtdproducts.com

Switzerland
Phone +41 (0)43 58 81 35 8
mtd.ch@mtdproducts.com

www.mtd-en.com

Text and photographs, specifications of dimensions and performance are composed with greatest care. The correctness of the information cannot be guaranteed, especially it is not guaranteed that the products comply with the images regarding technique, colour, form and equipment or that the products comply with the proportion of the images. Amendments due to misprints or errors are reserved.

This MTD catalogue is valid from August 2023
© 2023 Stanley Black & Decker Outdoor GmbH, Germany